

NSF International

REFERENCE CERTIFICATE

Yonggao Co., Ltd.
Facility: Zhejiang, China

COMPLIES WITH NSF/ANSI 14 AND THE FOLLOWING REFERENCE STANDARDS. PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE AUTHORIZED TO BEAR THE NSF MARK.

ASTM F439
ASTM F1970
ASTM D2466
ASTM D2467
ASTM D2665
ASTM D2846
NSF/ANSI 61



This certificate is supplemental to the NSF Certification Certificate and does not replace the NSF Certification Certificate. This certificate is the property of NSF International and must be returned upon request. For the most current and complete product information, please access NSF's website (www.nsf.org).

Clifton J. McLellan
Vice President, Water Systems



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 14 - Plastics Piping System Components and Related Materials

This is the Official Listing recorded on July 9, 2020.

Yonggao Co., Ltd.
No. 2 Daixi Road
Huangyan East City Development Zone
Taizhou, Zhejiang
China
86 576 8429 0287

Facility: Taizhou, China

Drain, Waste, and Vent - Pipe and Fittings

Product Type	Material Type	Trade Name	Product Standard
<i>Fitting</i>	<i>PVC</i>	<i>ERA</i>	<i>ASTM D2665</i>
45° Elbow			
1 1/2" (UDA00301)	2" (UDA00302)	3" (UDA00303)	
4" (UDA00304)			
90° Elbow			
1 1/2" (UDA00401)	2" (UDA00402)	3" (UDA00403)	
4" (UDA00404)			
<i>Coupling</i>			
1 1/2" (UDA00501)	2" (UDA00502)	3" (UDA00503)	
4" (UDA00504)			
<i>Female Adaptor SLIP x FIPT</i>			
1 1/2" (UDA00601)	2" (UDA00602)	3" (UDA00603)	
4" (UDA00604)			
<i>Female Adaptor SPG x FIPT</i>			
1 1/2" (UDA00901)	2" (UDA00902)	3" (UDA00903)	
4" (UDA00904)			
<i>Male Adaptor SLIP x MIPT</i>			
1 1/2" (UDA00901)	2" (UDA00902)	3" (UDA00903)	
4" (UDA00904)			
<i>Male Adaptor SPG x MIPT</i>			
1 1/2" (UDA00701)	2" (UDA00702)	3" (UDA00703)	
4" (UDA00704)			
<i>Reducing Coupling</i>			
4" x 2" (UDA01101)	4" x 3" (UDA01102)		
<i>Skew Tee</i>			
1 1/2" (UDA00202)	1" (UDA00201)	2" (UDA00203)	
3" (UDA00204)	4" (UDA00205)		
<i>Tee</i>			
1 1/2" (UDA00101)	2" (UDA00102)	3" (UDA00103)	
4" (UDA00104)			

Potable Water - Pipe and Fittings

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Product Type	Material Type						Trade Name		Product Standard
Fittings	CPVC						ERA		ASTM D2846
45° Elbow									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
90° Elbow									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
90° Elbow with Bracket									
1/2" 3/4"									
90° Female Thread Elbow									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"						
Coupling									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
CPAS018 Male and Female Elbow CPVC ⁺⁺⁺									
1/2"									
CPAS02 Reducing Tee ⁺⁺⁺									
3/4" x 1/2" x 1/2"	3/4" x 3/4" x 1/2"								
CPAS05 Transition Bush ⁺⁺⁺									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"						
CPAS08 Reducing Elbow ⁺⁺⁺									
1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 1"	2" x 1"					
Cross									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"						
End Cap									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"						
End Plug									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	3"	4"				
Female Adaptor									
1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
Female Elbow with Bracket									
1/2"									
Female Thread Tee									
1/2" 3/4" 1"									
Male Adaptor									
1/4" 1/2" 3/4" 1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"			
Plug									
1/2" 3/4" 1"									
Reducing Bush									
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"					
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"					
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"					
Reducing Elbow									
3/4" x 1/2"									
Reducing Male Adaptor									
3/4" x 1/2"									
Reducing Ring									
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"					

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 1 1/2"	4" x 2"	4" x 3"
Reducing Socket				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"	
Reducing Tee				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
Socket				
1/2"	1/2" light	3/4"	1"	1 1/4"
1 1/2"	2"			
Step Over Bend				
1/2"	3/4"	1"		
Straight Tee				
Union				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
<i>Fittings</i> [®]				
CPVC				
ERA				
ASTM F1970				
Union				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
<i>Fittings</i>				
CPVC				
ERA				
ASTM F439				
45° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
90° Elbow				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
90° Female Thread Elbow				
1/2"	3/4"	2"	1 1/4"	1 1/2"
				1"
Coupling				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
End Plug				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				3"
				4"
Female Adaptor				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
Female Thread Tee				
1/2"	3/4"	1"		
Male Adaptor				
1/2"	3/4"	1"	1 1/4"	1 1/2"
				2"
				2 1/2"
				3"
				4"
Reducing Ring				
3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 1 1/2"	4" x 2"	4" x 3"
Reducing Tee				
3/4" x 1/2"	2" x 1 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 3/4"	2" x 1/2"	2" x 1"	2" x 1 1/4"	1" x 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Straight Tee

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
Fittings # + [G]				PVC		ERA			ASTM F1970

Compact Ball Valve, Heavy Type

1/2" (UCB0101)	3/4" (UCB0102)	1" (UCB0103)
1 1/4" (UCB0104)	1 1/2" (UCB0105)	2" (UCB0106)
2 1/2" (UCB0107)	3" (UCB0108)	3 1/2" (UCB0109)
4" (UCB0110)	5" (UCB0111)	6" (UCB0112)

Compact Ball Valve, Light Type

1/2" (UCB01L01)	3/4" (UCB01L02)	1" (UCB01L03)
1 1/4" (UCB01L04)	1 1/2" (UCB01L05)	2" (UCB01L06)

Compression Coupling

1/2" (UCC0101)	3/4" (UCC0102)	1" (UCC0103)
1 1/4" (UCC0104)	1 1/2" (UCC0105)	2" (UCC0106)
2 1/2" (UCC0107)	3" (UCC0108)	3 1/2" (UCC0109)
4" (UCC0110)		

Male Single Union Ball Valve

1/2" (USU0401)	3/4" (USU0402)	1" (USU0403)
1 1/4" (USU0404)	1 1/2" (USU0405)	2" (USU0406)
2 1/2" (USU0407)	3" (USU0408)	3 1/2" (USU0409)
4" (USU0410)		

Single Union Ball Valve

1/2" (USU0101)	3/4" (USU0102)	1" (USU0103)
1 1/4" (USU0104)	1 1/2" (USU0105)	2" (USU0106)
2 1/2" (USU0107)	3" (USU0108)	3 1/2" (USU0109)
4" (USU0110)		

Single Union Spring Check Valve

1/2" (USU0201)	3/4" (USU0202)	1" (USU0203)
1 1/4" (USU0204)	1 1/2" (USU0205)	2" (USU0206)

True Union Ball Valves

1/2" (UTB0301)	3/4" (UTB0302)	1" (UTB0303)
1 1/4" (UTB0304)	1 1/2" (UTB0305)	2" (UTB0306)
2 1/2" (UTB0307)	3" (UTB0308)	4" (UTB0309)

TS Flange

1/2" (UTF0101)	3/4" (UTF0102)	1" (UTF0103)
1-1/4" (UTF0104)	1-1/2" (UTF0105)	2" (UTF0106)
2-1/2" (UTF0107)	3" (UTF0108)	3-1/2" (UTF0109)
4" (UTF0110)	5" (UTF0111)	6" (UTF0112)
8" (UTF0113)		

U8U001 PVC SCH80 Union, Socket

1/2" (U8U00101)	3/4" (U8U00102)	1" (U8U00103)
1 1/4" (U8U00104)	1 1/2" (U8U00105)	2" (U8U00106)

U8UT001 PVC SCH80 Union, Thread

1/2" (U8UT00101)	3/4" (U8UT00102)	1" (U8UT00103)
1 1/4" (U8UT00104)	1 1/2" (U8UT00105)	2" (U8UT00106)

UCBT01 Compact Ball Valve, Heavy Type, IPS Thread

1" (UCBT0101)	3/4" (UCBT0102)	1" (UCBT0103)
1 1/4" (UCBT0104)	1 1/2" (UCBT0105)	2" (UCBT0106)
2 1/2" (UCBT0107)	3" (UCBT0108)	4" (UCBT0109)
6" (UCBT0110)		

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



UCBT01 Compact Ball Valve, Light Type, IPS Thread

1/2" (UCBT0101)	3/4" (UCBT0102)	1" (UCBT0103)
1 1/4" (UCBT0104)	1 1/2" (UCBT0105)	2" (UCBT0106)

UCFT01 Female Compression Tee

1/2" (UCFT0101)	3/4" (UCFT0102)	1" (UCFT0103)
1 1/4" (UCFT0104)	1 1/2" (UCFT0105)	2" (UCFT0106)

UCMA01 Male Compression Adapter

1/2" (UCMA0101)	3/4" (UCMA0102)	1" (UCMA0103)
1 1/4" (UCMA0104)	1 1/2" (UCMA0105)	2" (UCMA0106)

Union

1/2" (UU00101)	3/4" (UU00102)	1" (UU00103)
1 1/4" (UU00104)	1 1/2" (UU00105)	2" (UU00106)
2 1/2" (UU00107)	3" (UU00108)	3 1/2" (UU00109)
4" (UU00110)		

USUT01 Single Union Ball Valve, IPS Thread

1/2" (USUT0101)	3/4" (USUT0102)	1" (USUT0103)
1 1/4" (USUT0104)	1 1/2" (USUT0105)	2" (USUT0106)
2 1/2" (USUT0107)	3" (USUT0108)	4" (USUT0109)

UTBT01 True Union Ball Valve, IPS Thread

1/2" (UTBT0101)	3/4" (UTBT0102)	1" (UTBT0103)
1 1/4" (UTBT0104)	1 1/2" (UTBT0105)	2" (UTBT0106)
2 1/2" (UTBT0107)	3" (UTBT0108)	4" (UTBT0109)

UUT001 Union, IPS Thread

1/2" (UUT00101)	3/4" (UUT00102)	1" (UUT00103)
1 1/4" (UUT00104)	1 1/2" (UUT00105)	2" (UUT00106)
2 1/2" (UUT00107)	3" (UUT00108)	4" (UUT00109)

Van Stone Flange

2" (UVF0101)	2-1/2" (UVF0102)	3" (UVF0103)
3-1/2" (UVF0104)	4" (UVF0105)	5" (UVF0106)
6" (UVF0107)	8" (UVF0108)	10" (UVF0109)
12" (UVF0110)		

Fittings⁺

PVC I-G1

ERA

ASTM D2466

45° Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

90° Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

90° Female Thread Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

Coupling

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Cross

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	3"	4"
------	------	----	--------	--------	----	----	----

End Plug

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Female Adapter

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Female Cap

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Female Thread Elbow LONG

3/4" x 1/2"

Female Thread Elbow SHORT

3/4" x 1/2"

Female Thread Tee

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
2"	3/4" x 1/2"								

Male Adapter

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Male Thread Elbow

1/2"

Reducing Coupling

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"

Reducing Ring

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"
3" x 1 1/2"	3" x 2"	4" x 2"	6" x 4"	

Reducing Tee

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/4" x 1/2"	1 1/4" x 3/4"
1 1/4" x 1"	1 1/2" x 1/2"	1 1/2" x 3/4"	1 1/2" x 1"	1 1/2" x 1 1/4"
2" x 1/2"	2" x 3/4"	2" x 1"	2" x 1 1/4"	2" x 1 1/2"

Straight Tee

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Thread Plug

1/2"	3/4"	1"
------	------	----

US4015 Female Reducing Ring

3/4" x 1/2"	1" x 1/2"	1" x 3/4"	1 1/2" x 1/2"	2" x 3/4"
2" x 1/2"	2" x 1"			

US4017 Reducing Male Adaptor

3/4" x 1/2"

US4T03 Skew Tee

1/2"	3/4"	1"							
<i>Fittings⁺ [G]</i>			<i>PVC I-G1</i>	<i>ERA</i>			<i>ASTM D2467</i>		

45° Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

90° Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

90° Female Thread Elbow

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

Coupling

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Cross

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	----	--------	--------	----

End Plug

1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
------	------	----	--------	--------	----	--------	----	----	----

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Female Adapter

1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 6"

Female Thread Tee

1/2" 3/4" 1"

Male Adapter

1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 6"

Reducing Coupling

3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 1/2" 1 1/4" x 3/4"
1 1/4" x 1" 1 1/2" x 1/2" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1 1/4"
2" x 1/2" 2" x 3/4" 2" x 1" 2" x 1 1/4" 2" x 1 1/2"

Reducing Ring

3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 1/2" 1 1/4" x 3/4"
1 1/4" x 1" 1 1/2" x 1/2" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1 1/4"
2" x 1/2" 2" x 3/4" 2" x 1" 2" x 1 1/4" 2" x 1 1/2"
3" x 1 1/2" 3" x 2" 4" x 1 1/2" 4" x 2" 4" x 3"
6" x 4"

Reducing Tee

3/4" x 1/2" 1" x 1/2" 1" x 3/4" 1 1/4" x 1/2" 1 1/4" x 3/4"
1 1/4" x 1" 1 1/2" x 1/2" 1 1/2" x 3/4" 1 1/2" x 1" 1 1/2" x 1 1/4"
2" x 1/2" 2" x 3/4" 2" x 1" 2" x 1 1/4" 2" x 1 1/2"

Straight Tee

1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 6"

Pipe+++ CPVC ERA Pipe ASTM D2846

1/2" - 2" SDR 11

Product tested for use in 73°F with a rated pressure of 150 psi.
+ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at 73° F.
@ CPVC union rated as 100psi at 180°F.
+++ Material complies with NSF/ANSI/CAN 61 health effects requirements when tested at temperatures up to and including Commercial Hot (180° F).
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI/CAN Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on July 29, 2021.

Yonggao Co., Ltd.
No. 2 Daixi Road
Huangyan East City Development Zone
Taizhou, Zhejiang
China
86 576 8429 0287

Facility: Taizhou, China

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
45° Elbow	1/2" - 4"	C. HOT	CPVC
45° Elbow ^[G]	1/2" - 6"	CLD 23	PVC
90° Elbow	1/2" - 4"	C. HOT	CPVC
90° Elbow ^[G]	1/2" - 6"	CLD 23	PVC
90° Female Thread Elbow ^[G]	1/2" - 2"	CLD 23	PVC
90° Female Thread Elbow	1/2" - 4"	C. HOT	CPVC
Compression Coupling ^[G]	1/2" - 4"	CLD 23	PVC
Coupling	1/2" - 4"	C. HOT	CPVC
Coupling ^[G]	1/2" - 6"	CLD 23	PVC
CPAB01 BRASS threaded FEMALE ELBOW	[G] 1/2" - 1" x 3/4"	C. HOT	MLTPL
CPAB011 BRASS threaded MALE ELBOW	[G] 1/2"- 1"	C. HOT	MLTPL
CPAB02 BRASS threaded FEMALE TEE	[G] 1/2" - 1 1/4" x 1/2"	C. HOT	MLTPL
CPAB03 BRASS threaded MALE ADAPTOR	[G] 1/2" - 2"	C. HOT	MLTPL
CPAB04 Brass threaded FEMALE ADAPTOR	[G] 1/2" - 2"	C. HOT	MLTPL
CPAB06 II BRASS MALE THREAD ADAPTOR	[G] 1/2" - 2"	C. HOT	MLTPL
CPAB07 II BRASS FEMALE THREAD ADAPTOR	[G] 1/2" - 1" x 3/4"	C. HOT	MLTPL
CPAB08 BRASS threaded MALE ADAPTOR	[G] 3/4"x1/2" - 1"x3/4"	C. HOT	MLTPL
CPAB09 CPVC STOP VALVE CPVC CTS	[G] 1/2" - 1"	C. HOT	MLTPL
CPAS018 Male And Female Elbow CPVC	[G] 1/2"	C. HOT	CPVC
CPAS02 Reducing Tee ^[G]	3/4x1/2x1/2"-3/4x3/4x1/2"	C. HOT	CPVC
CPAS05 Transition Bush ^[G]	1/2" - 2"	C. HOT	CPVC
CPAS08 Reducing Elbow ^[G]	1" x 1/2" - 2" x 1"	C. HOT	CPVC
Cross ^[G]	1/2" - 4"	CLD 23	PVC
Cross ^[G]	1/2" - 2"	CLD 23	PVC
End Cap	1/2" - 2"	C. HOT	CPVC
End Plug	1/2" - 4"	C. HOT	CPVC
End Plug ^[G]	1/2" - 6"	CLD 23	PVC

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



ERA CPA007 CPVC CTS Union Type II, Solv x Solv	[1] [G]	1/2" - 2"	C. HOT	MLTPL
ERA CPAC01 CPVC CTS Compact Ball Valve Solv x Solv	[2] [G]	1/2" - 2"	C. HOT	MLTPL
ERA CPAC02 CPVC CTS Valve Type II	[3] [G]	1/2" - 2"	C. HOT	MLTPL
ERA CPAS019 CPVC Compression Coupling	[4] [G]	1/2" - 1"	C. HOT	MLTPL
ERA UCC03 Adjustable Repair Coupling		1/2" - 4"	CLD 23	PVC
ERA UCFT01 Female Compression Tee		1/2" - 2"	CLD 23	PVC
ERA UCMA01 Male Compression Adapter		1/2" - 2"	CLD 23	PVC
ERA UUT001 Union, IPS Thread		1/2" - 4"	CLD 23	PVC
Female Adapter ^[G]		1/2" - 6"	CLD 23	PVC
Female Adaptor		1/2" - 4"	C. HOT	CPVC
Female Cap ^[G]		1/2" - 2"	CLD 23	PVC
Female Cap ^[G]		3/4" - 2"	CLD 23	PVC
Female Thread Elbow LONG ^[G]		3/4" x 1/2"	CLD 23	PVC
Female Thread Elbow SHORT ^[G]		3/4" x 1/2"	CLD 23	PVC
Female Thread Tee ^[G]		1/2" - 2"	CLD 23	PVC
Female Thread Tee		1/2" - 4"	C. HOT	CPVC
Male Adapter ^[G]		1/2" - 6"	CLD 23	PVC
Male Adaptor		1/2" - 4"	C. HOT	CPVC
Male Thread Elbow ^[G]		1/2"	CLD 23	PVC
Reducing Bush		3/4"x1/2"- 2"x1 1/2"	C. HOT	CPVC
Reducing Coupling ^[G]		3/4"x1/2"-2"x1 1/2"	CLD 23	PVC
Reducing Male Adaptor		3/4" x 1/2"	C. HOT	CPVC
Reducing Ring		1/2" - 4"	C. HOT	CPVC
Reducing Ring ^[G]		3/4"x1/2" - 6"x4"	CLD 23	PVC
Reducing Tee		1/2" - 4"	C. HOT	CPVC
Reducing Tee ^[G]		3/4"x1/2"-2"x1 1/2"	CLD 23	PVC
Socket		1/2" - 2"	C. HOT	CPVC
Straight Tee		1/2" - 4"	C. HOT	CPVC
Straight Tee ^[G]		1/2" - 6"	CLD 23	PVC
Thread Plug ^[G]		1/2" - 1"	CLD 23	PVC
TS Flange ^[G]		1/2" - 8"	CLD 23	PVC
U8U001 PVC SCH80 Union, Socket	[G]	1/2" - 2"	CLD 23	PVC
U8UT001 PVC SCH80 Union, Thread	[G]	1/2" - 2"	CLD 23	PVC
Union		1/2" - 4"	C. HOT	CPVC
Union ^[G]		1/2" - 4"	CLD 23	PVC
US4015 Female Reducing Ring ^[G]		3/4" x 1/2" - 2" x 1"	CLD 23	PVC
US4017 Reducing Male Adaptor ^[G]		3/4" x 1/2"	CLD 23	PVC
US4T03 Skew Tee ^[G]		1/2" -1"	CLD 23	PVC
Van Stone Flange ^[G]		1/2" - 12"	CLD 23	PVC

Pipe

ERA CPVC PRESSURE PIPE		1/2" - 2"	C. HOT	CPVC
------------------------	--	-----------	--------	------

Valves

ERA Compact Ball Valve		1/2" - 6"	CLD 23	PVC
ERA Single Union Ball Valve		1/2" - 2"	CLD 23	PVC
ERA Single Union Spring Check Valve		1/2" - 2"	CLD 23	PVC
ERA True Union Ball Valve		1/2" - 4"	CLD 23	PVC
ERA UCBT01 Compact Ball Valve, Heavy Type, IPS Thread		1/2" - 6"	CLD 23	PVC

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



ERA UCBT01 Compact Ball Valve, Light Type, IPS Thread	1/2" - 2"	CLD 23	PVC
ERA UCV01 In-Line Check Valve, Solvent	1/2" - 2"	CLD 23	PVC
ERA UCVT01 In-Line Check Valve, IPS Thread	1/2" - 2"	CLD 23	PVC
ERA UFV01 Foot Valve, Without Color Box	1/2" - 6	CLD 23	PVC
ERA UFVT01 Foot Valve, IPS Thread	1/2" - 6	CLD 23	PVC
ERA USUT01 Single Union Ball Valve, IPS Thread	1/2" - 4"	CLD 23	PVC
ERA UTBT01 True Union Ball Valve, IPS Thread	1/2" - 4"	CLD 23	PVC
Male Single Union Ball Valve [G]	1/2" - 4"	CLD 23	PVC

[1] Certified for the following configurations:

- 1/2" (CPA00701)
- 3/4" (CPA00702)
- 1" (CPA00703)
- 1-1/4" (CPA00704)
- 1-1/2" (CPA00705)
- 2" (CPA00706)

[2] Certified for the following configurations:

- 1/2" (CPAC0101)
- 3/4" (CPAC0102)
- 1" (CPAC0103)
- 1-1/4" (CPAC0104)
- 1-1/2" (CPAC0105)
- 2" (CPAC0106)

[3] Certified for the following configurations:

- 1/2" (CPAC0201)
- 3/4" (CPAC0202)
- 1" (CPAC0203)
- 1-1/4" (CPAC0204)
- 1-1/2" (CPAC0205)
- 2" (CPAC0206)

[4] Certified for the following configurations:

- 1/2" (CPAS01901)
- 3/4" (CPAS01902)
- 1" (CPAS01903)

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility: Zhejiang, China

Joining and Sealing Materials

Trade Designation	Size	Water Contact Temp	Water Contact Material
Gasket/Sealing Materials			
E8012-72 ERA [1]	[2]	C. HOT	EPDM
N8011-70 ERA [3]	[4]	C. HOT	NBR

[1] This product has also been evaluated for use in Mechanical Plumbing Device applications with a maximum use restriction of 0.2 sq. in./L.

[2] Certified for a maximum surface area to volume ratio of 1.5 sq. in./L.

[3] This product has also been evaluated for use in Mechanical Plumbing Device applications with a maximum use restriction of 0.016 sq. in./L.

[4] Certified for a maximum surface area to volume ratio of 0.16 sq. in./L.

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



OFFICIAL LISTING

NSF certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI 372 - Drinking Water System Components - Lead Content

This is the Official Listing recorded on May 27, 2021.

Yonggao Co., Ltd.
No. 2 Daixi Road
Huangyan East City Development Zone
Taizhou, Zhejiang
China
86 576 8429 0287

Facility: Taizhou, China

Fittings

CPAB01 BRASS threaded FEMALE ELBOW 1"
CPAB01 BRASS threaded FEMALE ELBOW 1"x1/2"
CPAB01 BRASS threaded FEMALE ELBOW 1"x3/4"
CPAB01 BRASS threaded FEMALE ELBOW 1-1/4"
CPAB01 BRASS threaded FEMALE ELBOW 1/2"
CPAB01 BRASS threaded FEMALE ELBOW 3/4"
CPAB01 BRASS threaded FEMALE ELBOW 3/4"x1/2"
CPAB011 BRASS threaded MALE ELBOW 1"
CPAB011 BRASS threaded MALE ELBOW 1/2"
CPAB011 BRASS threaded MALE ELBOW 3/4"
CPAB02 BRASS threaded FEMALE TEE 1"x1/2"
CPAB02 BRASS threaded FEMALE TEE 1-1/4"
CPAB02 BRASS threaded FEMALE TEE 1-1/4"x1/2"
CPAB02 BRASS threaded FEMALE TEE 1/2"
CPAB02 BRASS threaded FEMALE TEE 3/4"x1/2"
CPAB03 BRASS threaded MALE ADAPTOR 1"
CPAB03 BRASS threaded MALE ADAPTOR 1-1/2"
CPAB03 BRASS threaded MALE ADAPTOR 1-1/4"
CPAB03 BRASS threaded MALE ADAPTOR 1/2"
CPAB03 BRASS threaded MALE ADAPTOR 2"
CPAB03 BRASS threaded MALE ADAPTOR 3/4"
CPAB04 Brass threaded FEMALE ADAPTOR 1"
CPAB04 Brass threaded FEMALE ADAPTOR 1-1/2"
CPAB04 Brass threaded FEMALE ADAPTOR 1-1/4"
CPAB04 Brass threaded FEMALE ADAPTOR 1/2"
CPAB04 Brass threaded FEMALE ADAPTOR 2"
CPAB04 Brass threaded FEMALE ADAPTOR 3/4"
CPAB06 II BRASS MALE THREAD ADAPTOR 1"
CPAB06 II BRASS MALE THREAD ADAPTOR 1-1/2"
CPAB06 II BRASS MALE THREAD ADAPTOR 1-1/4"
CPAB06 II BRASS MALE THREAD ADAPTOR 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



CPAB06 II BRASS MALE THREAD ADAPTOR 2"
CPAB06 II BRASS MALE THREAD ADAPTOR 3/4"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 1"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 1"x3/4"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 1-1/2"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 1-1/4"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 1/2"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 2"
CPAB07 II BRASS FEMALE THREAD ADAPTOR 3/4"
CPAB08 BRASS threaded MALE ADAPTOR 1"x1/2"
CPAB08 BRASS threaded MALE ADAPTOR 1"x3/4"
CPAB08 BRASS threaded MALE ADAPTOR 3/4"x1/2"
ERA CPA007 CPVC CTS Union Type II, Solv x Solv [1]
ERA CPAC01 CPVC CTS Compact Ball Valve Solv x Solv [2]
ERA CPAC02 CPVC CTS Valve Type II [3]
ERA CPAS019 CPVC Compression Coupling [4]
ERA CPVC 45° Elbow 1 1/2"
ERA CPVC 45° Elbow 1 1/2"
ERA CPVC 45° Elbow 1 1/4"
ERA CPVC 45° Elbow 1 1/4"
ERA CPVC 45° Elbow 1"
ERA CPVC 45° Elbow 1"
ERA CPVC 45° Elbow 1/2"
ERA CPVC 45° Elbow 1/2"
ERA CPVC 45° Elbow 2 1/2"
ERA CPVC 45° Elbow 2 1/2"
ERA CPVC 45° Elbow 2"
ERA CPVC 45° Elbow 2"
ERA CPVC 45° Elbow 3"
ERA CPVC 45° Elbow 3"
ERA CPVC 45° Elbow 3/4"
ERA CPVC 45° Elbow 3/4"
ERA CPVC 45° Elbow 4"
ERA CPVC 45° Elbow 4"
ERA CPVC 90° Elbow 1 1/2"
ERA CPVC 90° Elbow 1 1/2"
ERA CPVC 90° Elbow 1 1/4"
ERA CPVC 90° Elbow 1 1/4"
ERA CPVC 90° Elbow 1"
ERA CPVC 90° Elbow 1"
ERA CPVC 90° Elbow 1/2"
ERA CPVC 90° Elbow 1/2"
ERA CPVC 90° Elbow 2 1/2"
ERA CPVC 90° Elbow 2 1/2"
ERA CPVC 90° Elbow 2"
ERA CPVC 90° Elbow 2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC 90° Elbow 3"
ERA CPVC 90° Elbow 3"
ERA CPVC 90° Elbow 3/4"
ERA CPVC 90° Elbow 3/4"
ERA CPVC 90° Elbow 4"
ERA CPVC 90° Elbow 4"
ERA CPVC 90° Elbow with Bracket 1/2"
ERA CPVC 90° Elbow with Bracket 3/4"
ERA CPVC 90° Female Thread Elbow 1 1/2"
ERA CPVC 90° Female Thread Elbow 1 1/2"
ERA CPVC 90° Female Thread Elbow 1 1/4"
ERA CPVC 90° Female Thread Elbow 1 1/4"
ERA CPVC 90° Female Thread Elbow 1"
ERA CPVC 90° Female Thread Elbow 1"
ERA CPVC 90° Female Thread Elbow 1/2"
ERA CPVC 90° Female Thread Elbow 1/2"
ERA CPVC 90° Female Thread Elbow 2"
ERA CPVC 90° Female Thread Elbow 2"
ERA CPVC 90° Female Thread Elbow 3/4"
ERA CPVC 90° Female Thread Elbow 3/4"
ERA CPVC Coupling 1 1/2"
ERA CPVC Coupling 1 1/2"
ERA CPVC Coupling 1 1/4"
ERA CPVC Coupling 1 1/4"
ERA CPVC Coupling 1"
ERA CPVC Coupling 1"
ERA CPVC Coupling 1/2"
ERA CPVC Coupling 1/2"
ERA CPVC Coupling 2 1/2"
ERA CPVC Coupling 2 1/2"
ERA CPVC Coupling 2"
ERA CPVC Coupling 2"
ERA CPVC Coupling 3"
ERA CPVC Coupling 3"
ERA CPVC Coupling 3/4"
ERA CPVC Coupling 3/4"
ERA CPVC Coupling 4"
ERA CPVC Coupling 4"
ERA CPVC Cross 1 1/2"
ERA CPVC Cross 1 1/4"
ERA CPVC Cross 1"
ERA CPVC Cross 1/2"
ERA CPVC Cross 2"
ERA CPVC Cross 3/4"
ERA CPVC End Cap 1 1/2"
ERA CPVC End Cap 1 1/4"
ERA CPVC End Cap 1"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC End Cap 1/2"
ERA CPVC End Cap 2"
ERA CPVC End Cap 3/4"
ERA CPVC End Plug 1 1/2"
ERA CPVC End Plug 1 1/2"
ERA CPVC End Plug 1 1/4"
ERA CPVC End Plug 1 1/4"
ERA CPVC End Plug 1"
ERA CPVC End Plug 1"
ERA CPVC End Plug 1/2"
ERA CPVC End Plug 1/2"
ERA CPVC End Plug 2"
ERA CPVC End Plug 2"
ERA CPVC End Plug 3"
ERA CPVC End Plug 3"
ERA CPVC End Plug 3/4"
ERA CPVC End Plug 3/4"
ERA CPVC End Plug 4"
ERA CPVC End Plug 4"
ERA CPVC Female Adaptor 1 1/2"
ERA CPVC Female Adaptor 1 1/2"
ERA CPVC Female Adaptor 1 1/4"
ERA CPVC Female Adaptor 1 1/4"
ERA CPVC Female Adaptor 1"
ERA CPVC Female Adaptor 1"
ERA CPVC Female Adaptor 1/2"
ERA CPVC Female Adaptor 1/2"
ERA CPVC Female Adaptor 2 1/2"
ERA CPVC Female Adaptor 2 1/2"
ERA CPVC Female Adaptor 2"
ERA CPVC Female Adaptor 2"
ERA CPVC Female Adaptor 3"
ERA CPVC Female Adaptor 3"
ERA CPVC Female Adaptor 3/4"
ERA CPVC Female Adaptor 3/4"
ERA CPVC Female Adaptor 4"
ERA CPVC Female Adaptor 4"
ERA CPVC Female Elbow with Bracket 1/2"
ERA CPVC Female Thread Tee 1"
ERA CPVC Female Thread Tee 1"
ERA CPVC Female Thread Tee 1/2"
ERA CPVC Female Thread Tee 1/2"
ERA CPVC Female Thread Tee 3/4"
ERA CPVC Female Thread Tee 3/4"
ERA CPVC Male Adaptor 1 1/2"
ERA CPVC Male Adaptor 1 1/2"
ERA CPVC Male Adaptor 1 1/4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC Male Adaptor 1 1/4"
ERA CPVC Male Adaptor 1"
ERA CPVC Male Adaptor 1"
ERA CPVC Male Adaptor 1/2"
ERA CPVC Male Adaptor 1/2"
ERA CPVC Male Adaptor 1/4"
ERA CPVC Male Adaptor 2 1/2"
ERA CPVC Male Adaptor 2 1/2"
ERA CPVC Male Adaptor 2"
ERA CPVC Male Adaptor 2"
ERA CPVC Male Adaptor 3"
ERA CPVC Male Adaptor 3/4"
ERA CPVC Male Adaptor 3/4"
ERA CPVC Male Adaptor 4"
ERA CPVC Plug 1"
ERA CPVC Plug 1/2"
ERA CPVC Plug 3/4"
ERA CPVC Reducing Bush 1 1/2"x 1 1/4"
ERA CPVC Reducing Bush 1 1/2"x 1"
ERA CPVC Reducing Bush 1 1/2"x 1/2"
ERA CPVC Reducing Bush 1 1/2"x 3/4"
ERA CPVC Reducing Bush 1 1/4"x 1"
ERA CPVC Reducing Bush 1 1/4"x 1/2"
ERA CPVC Reducing Bush 1 1/4"x 3/4"
ERA CPVC Reducing Bush 1"x 1/2"
ERA CPVC Reducing Bush 1"x 3/4"
ERA CPVC Reducing Bush 2"x 1 1/2"
ERA CPVC Reducing Bush 2"x 1 1/4"
ERA CPVC Reducing Bush 2"x 1"
ERA CPVC Reducing Bush 2"x 1/2"
ERA CPVC Reducing Bush 2"x 3/4"
ERA CPVC Reducing Bush 3/4"x 1/2"
ERA CPVC Reducing Elbow 3/4"x 1/2"
ERA CPVC Reducing Male Adaptor 3/4"x 1/2"
ERA CPVC Reducing Ring 1 1/2"x 1 1/4"
ERA CPVC Reducing Ring 1 1/2"x 1 1/4"
ERA CPVC Reducing Ring 1 1/2"x 1"
ERA CPVC Reducing Ring 1 1/2"x 1"
ERA CPVC Reducing Ring 1 1/2"x 1/2"
ERA CPVC Reducing Ring 1 1/2"x 1/2"
ERA CPVC Reducing Ring 1 1/2"x 3/4"
ERA CPVC Reducing Ring 1 1/2"x 3/4"
ERA CPVC Reducing Ring 1 1/4"x 1"
ERA CPVC Reducing Ring 1 1/4"x 1"
ERA CPVC Reducing Ring 1 1/4"x 1/2"
ERA CPVC Reducing Ring 1 1/4"x 1/2"
ERA CPVC Reducing Ring 1 1/4"x 3/4"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC Reducing Ring 1 1/4"x 3/4"
ERA CPVC Reducing Ring 1"x 1/2"
ERA CPVC Reducing Ring 1"x 1/2"
ERA CPVC Reducing Ring 1"x 3/4"
ERA CPVC Reducing Ring 1"x 3/4"
ERA CPVC Reducing Ring 2"x 1 1/2"
ERA CPVC Reducing Ring 2"x 1 1/2"
ERA CPVC Reducing Ring 2"x 1 1/4"
ERA CPVC Reducing Ring 2"x 1 1/4"
ERA CPVC Reducing Ring 2"x 1"
ERA CPVC Reducing Ring 2"x 1"
ERA CPVC Reducing Ring 2"x 1/2"
ERA CPVC Reducing Ring 2"x 1/2"
ERA CPVC Reducing Ring 2"x 3/4"
ERA CPVC Reducing Ring 2"x 3/4"
ERA CPVC Reducing Ring 3"x 1 1/2"
ERA CPVC Reducing Ring 3"x 1 1/2"
ERA CPVC Reducing Ring 3"x 2"
ERA CPVC Reducing Ring 3"x 2"
ERA CPVC Reducing Ring 3/4"x 1/2"
ERA CPVC Reducing Ring 3/4"x 1/2"
ERA CPVC Reducing Ring 4"x 1/2"
ERA CPVC Reducing Ring 4"x 1 1/2"
ERA CPVC Reducing Ring 4"x 2"
ERA CPVC Reducing Ring 4"x 2"
ERA CPVC Reducing Ring 4"x 3"
ERA CPVC Reducing Ring 4"x 3"
ERA CPVC Reducing Socket 1 1/2"x 1 1/4"
ERA CPVC Reducing Socket 1 1/2"x 1"
ERA CPVC Reducing Socket 1 1/2"x 1/2"
ERA CPVC Reducing Socket 1 1/2"x 3/4"
ERA CPVC Reducing Socket 1 1/4"x 1"
ERA CPVC Reducing Socket 1 1/4"x 1/2"
ERA CPVC Reducing Socket 1 1/4"x 3/4"
ERA CPVC Reducing Socket 1"x 1/2"
ERA CPVC Reducing Socket 1"x 3/4"
ERA CPVC Reducing Socket 2"x 1 1/2"
ERA CPVC Reducing Socket 2"x 1 1/4"
ERA CPVC Reducing Socket 2"x 1"
ERA CPVC Reducing Socket 2"x 3/4"
ERA CPVC Reducing Socket 3/4"x 1/2"
ERA CPVC Reducing Tee 1 1/2"x 1 1/4"
ERA CPVC Reducing Tee 1 1/2"x 1 1/4"
ERA CPVC Reducing Tee 1 1/2"x 1"
ERA CPVC Reducing Tee 1 1/2"x 1"
ERA CPVC Reducing Tee 1 1/2"x 1/2"
ERA CPVC Reducing Tee 1 1/2"x 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC Reducing Tee 1 1/2"x 3/4"
ERA CPVC Reducing Tee 1 1/2"x 3/4"
ERA CPVC Reducing Tee 1 1/4"x 1"
ERA CPVC Reducing Tee 1 1/4"x 1"
ERA CPVC Reducing Tee 1 1/4"x 1/2"
ERA CPVC Reducing Tee 1 1/4"x 1/2"
ERA CPVC Reducing Tee 1 1/4"x 3/4"
ERA CPVC Reducing Tee 1 1/4"x 3/4"
ERA CPVC Reducing Tee 1"x 1/2"
ERA CPVC Reducing Tee 1"x 1/2"
ERA CPVC Reducing Tee 1"x 1/2"
ERA CPVC Reducing Tee 1"x 3/4"
ERA CPVC Reducing Tee 1"x 3/4"
ERA CPVC Reducing Tee 2"x 1 1/2"
ERA CPVC Reducing Tee 2"x 1 1/4"
ERA CPVC Reducing Tee 2"x 1 1/4"
ERA CPVC Reducing Tee 2"x 1"
ERA CPVC Reducing Tee 2"x 1"
ERA CPVC Reducing Tee 2"x 1/2"
ERA CPVC Reducing Tee 2"x 1/2"
ERA CPVC Reducing Tee 2"x 3/4"
ERA CPVC Reducing Tee 2"x 3/4"
ERA CPVC Reducing Tee 3/4"x 1/2"
ERA CPVC Reducing Tee 3/4"x 1/2"
ERA CPVC Socket 1 1/2"
ERA CPVC Socket 1 1/4"
ERA CPVC Socket 1"
ERA CPVC Socket 1/2"
ERA CPVC Socket 1/2" light
ERA CPVC Socket 2"
ERA CPVC Socket 3/4"
ERA CPVC Step Over Bend 1"
ERA CPVC Step Over Bend 1/2"
ERA CPVC Step Over Bend 3/4"
ERA CPVC Straight Tee 1 1/2"
ERA CPVC Straight Tee 1 1/4"
ERA CPVC Straight Tee 1"
ERA CPVC Straight Tee 1/2"
ERA CPVC Straight Tee 2 1/2"
ERA CPVC Straight Tee 2"
ERA CPVC Straight Tee 3"
ERA CPVC Straight Tee 3/4"
ERA CPVC Straight Tee 4"
ERA CPVC Straight Tee Union 1 1/2"
ERA CPVC Straight Tee Union 1 1/4"
ERA CPVC Straight Tee Union 1"
ERA CPVC Straight Tee Union 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA CPVC Straight Tee Union 2 1/2"
ERA CPVC Straight Tee Union 2"
ERA CPVC Straight Tee Union 3"
ERA CPVC Straight Tee Union 3/4"
ERA CPVC Straight Tee Union 4"
ERA CPVC Union 1 1/2"
ERA CPVC Union 1 1/4"
ERA CPVC Union 1"
ERA CPVC Union 1/2"
ERA CPVC Union 2 1/2"
ERA CPVC Union 2"
ERA CPVC Union 3"
ERA CPVC Union 3/4"
ERA CPVC Union 4"
ERA Pipe 1/2" - 2" SDR 11
ERA PVC Compact Ball Valve, Heavy Type 1 1/2" (UCB0105)
ERA PVC Compact Ball Valve, Heavy Type 1 1/4" (UCB0104)
ERA PVC Compact Ball Valve, Heavy Type 1" (UCB0103)
ERA PVC Compact Ball Valve, Heavy Type 1/2" (UCB0101)
ERA PVC Compact Ball Valve, Heavy Type 2 1/2" (UCB0107)
ERA PVC Compact Ball Valve, Heavy Type 2" (UCB0106)
ERA PVC Compact Ball Valve, Heavy Type 3 1/2" (UCB0109)
ERA PVC Compact Ball Valve, Heavy Type 3" (UCB0108)
ERA PVC Compact Ball Valve, Heavy Type 3/4" (UCB0102)
ERA PVC Compact Ball Valve, Heavy Type 4" (UCB0110)
ERA PVC Compact Ball Valve, Heavy Type 5" (UCB0111)
ERA PVC Compact Ball Valve, Heavy Type 6" (UCB0112)
ERA PVC Compact Ball Valve, Light Type 1 1/2" (UCB01L05)
ERA PVC Compact Ball Valve, Light Type 1 1/4" (UCB01L04)
ERA PVC Compact Ball Valve, Light Type 1" (UCB01L03)
ERA PVC Compact Ball Valve, Light Type 1/2" (UCB01L01)
ERA PVC Compact Ball Valve, Light Type 2" (UCB01L06)
ERA PVC Compact Ball Valve, Light Type 3/4" (UCB01L02)
ERA PVC Compression Coupling 1 1/2" (UCC0105)
ERA PVC Compression Coupling 1 1/4" (UCC0104)
ERA PVC Compression Coupling 1" (UCC0103)
ERA PVC Compression Coupling 1/2" (UCC0101)
ERA PVC Compression Coupling 2 1/2" (UCC0107)
ERA PVC Compression Coupling 2" (UCC0106)
ERA PVC Compression Coupling 3 1/2" (UCC0109)
ERA PVC Compression Coupling 3" (UCC0108)
ERA PVC Compression Coupling 3/4" (UCC0102)
ERA PVC Compression Coupling 4" (UCC0110)
ERA PVC I-Gl 45° Elbow 1 1/2"
ERA PVC I-Gl 45° Elbow 1 1/4"
ERA PVC I-Gl 45° Elbow 1"
ERA PVC I-Gl 45° Elbow 1/2"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA PVC I-G1 45° Elbow 2 1/2"
ERA PVC I-G1 45° Elbow 2"
ERA PVC I-G1 45° Elbow 3"
ERA PVC I-G1 45° Elbow 3/4"
ERA PVC I-G1 45° Elbow 4"
ERA PVC I-G1 45° Elbow 6"
ERA PVC I-G1 90° Elbow 1 1/2"
ERA PVC I-G1 90° Elbow 1 1/4"
ERA PVC I-G1 90° Elbow 1"
ERA PVC I-G1 90° Elbow 1/2"
ERA PVC I-G1 90° Elbow 2 1/2"
ERA PVC I-G1 90° Elbow 2"
ERA PVC I-G1 90° Elbow 3"
ERA PVC I-G1 90° Elbow 3/4"
ERA PVC I-G1 90° Elbow 4"
ERA PVC I-G1 90° Elbow 6"
ERA PVC I-G1 90° Female Thread Elbow 1 1/2"
ERA PVC I-G1 90° Female Thread Elbow 1 1/4"
ERA PVC I-G1 90° Female Thread Elbow 1"
ERA PVC I-G1 90° Female Thread Elbow 1/2"
ERA PVC I-G1 90° Female Thread Elbow 2"
ERA PVC I-G1 90° Female Thread Elbow 3/4"
ERA PVC I-G1 Coupling 1 1/2"
ERA PVC I-G1 Coupling 1 1/4"
ERA PVC I-G1 Coupling 1"
ERA PVC I-G1 Coupling 1/2"
ERA PVC I-G1 Coupling 2 1/2"
ERA PVC I-G1 Coupling 2"
ERA PVC I-G1 Coupling 3"
ERA PVC I-G1 Coupling 3/4"
ERA PVC I-G1 Coupling 4"
ERA PVC I-G1 Coupling 6"
ERA PVC I-G1 Cross 1 1/2"
ERA PVC I-G1 Cross 1 1/4"
ERA PVC I-G1 Cross 1"
ERA PVC I-G1 Cross 1/2"
ERA PVC I-G1 Cross 2"
ERA PVC I-G1 Cross 3/4"
ERA PVC I-G1 End Plug 1 1/2"
ERA PVC I-G1 End Plug 1 1/4"
ERA PVC I-G1 End Plug 1"
ERA PVC I-G1 End Plug 1/2"
ERA PVC I-G1 End Plug 2"
ERA PVC I-G1 End Plug 3"
ERA PVC I-G1 End Plug 3/4"
ERA PVC I-G1 End Plug 4"
ERA PVC I-G1 End Plug 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA PVC I-G1 Female Adapter 1 1/2"
ERA PVC I-G1 Female Adapter 1 1/4"
ERA PVC I-G1 Female Adapter 1"
ERA PVC I-G1 Female Adapter 1/2"
ERA PVC I-G1 Female Adapter 2 1/2"
ERA PVC I-G1 Female Adapter 2"
ERA PVC I-G1 Female Adapter 3"
ERA PVC I-G1 Female Adapter 3/4"
ERA PVC I-G1 Female Adapter 4"
ERA PVC I-G1 Female Adapter 6"
ERA PVC I-G1 Female Cap 1 1/2"
ERA PVC I-G1 Female Cap 1 1/4"
ERA PVC I-G1 Female Cap 1"
ERA PVC I-G1 Female Cap 2"
ERA PVC I-G1 Female Cap 3/4"
ERA PVC I-G1 Female Thread Elbow LONG 3/4"x1/2"
ERA PVC I-G1 Female Thread Elbow SHORT 3/4"x1/2"
ERA PVC I-G1 Female Thread Tee 1 1/2"
ERA PVC I-G1 Female Thread Tee 1 1/4"
ERA PVC I-G1 Female Thread Tee 1"
ERA PVC I-G1 Female Thread Tee 1/2"
ERA PVC I-G1 Female Thread Tee 2"
ERA PVC I-G1 Female Thread Tee 3/4"
ERA PVC I-G1 Female Thread Tee 3/4"x 1/2"
ERA PVC I-G1 Male Adapter 1 1/2"
ERA PVC I-G1 Male Adapter 1 1/4"
ERA PVC I-G1 Male Adapter 1"
ERA PVC I-G1 Male Adapter 1/2"
ERA PVC I-G1 Male Adapter 2 1/2"
ERA PVC I-G1 Male Adapter 2"
ERA PVC I-G1 Male Adapter 3"
ERA PVC I-G1 Male Adapter 3/4"
ERA PVC I-G1 Male Adapter 4"
ERA PVC I-G1 Male Adapter 6"
ERA PVC I-G1 Male Thread Elbow 1/2"
ERA PVC I-G1 Reducing Coupling 1 1/2"x 1 1/4"
ERA PVC I-G1 Reducing Coupling 1 1/2"x 1"
ERA PVC I-G1 Reducing Coupling 1 1/2"x 1/2"
ERA PVC I-G1 Reducing Coupling 1 1/2"x 3/4"
ERA PVC I-G1 Reducing Coupling 1 1/4"x 1"
ERA PVC I-G1 Reducing Coupling 1 1/4"x 1/2"
ERA PVC I-G1 Reducing Coupling 1 1/4"x 3/4"
ERA PVC I-G1 Reducing Coupling 1"x 1/2"
ERA PVC I-G1 Reducing Coupling 1"x 3/4"
ERA PVC I-G1 Reducing Coupling 2"x 1 1/2"
ERA PVC I-G1 Reducing Coupling 2"x 1 1/4"
ERA PVC I-G1 Reducing Coupling 2"x 1"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA PVC I-G1 Reducing Coupling 2"x 1/2"
ERA PVC I-G1 Reducing Coupling 2"x 3/4"
ERA PVC I-G1 Reducing Coupling 3/4"x 1/2"
ERA PVC I-G1 Reducing Ring 1 1/2"x 1 1/4"
ERA PVC I-G1 Reducing Ring 1 1/2"x 1"
ERA PVC I-G1 Reducing Ring 1 1/2"x 1/2"
ERA PVC I-G1 Reducing Ring 1 1/2"x 3/4"
ERA PVC I-G1 Reducing Ring 1 1/4"x 1"
ERA PVC I-G1 Reducing Ring 1 1/4"x 1/2"
ERA PVC I-G1 Reducing Ring 1 1/4"x 3/4"
ERA PVC I-G1 Reducing Ring 1"x 1/2"
ERA PVC I-G1 Reducing Ring 1"x 3/4"
ERA PVC I-G1 Reducing Ring 2"x 1 1/2"
ERA PVC I-G1 Reducing Ring 2"x 1 1/4"
ERA PVC I-G1 Reducing Ring 2"x 1"
ERA PVC I-G1 Reducing Ring 2"x 1/2"
ERA PVC I-G1 Reducing Ring 2"x 3/4"
ERA PVC I-G1 Reducing Ring 3"x 1 1/2"
ERA PVC I-G1 Reducing Ring 3"x 2"
ERA PVC I-G1 Reducing Ring 3/4"x 1/2"
ERA PVC I-G1 Reducing Ring 4"x 2"
ERA PVC I-G1 Reducing Ring 6"x 4"
ERA PVC I-G1 Reducing Tee 1 1/2"x 1 1/4"
ERA PVC I-G1 Reducing Tee 1 1/2"x 1"
ERA PVC I-G1 Reducing Tee 1 1/2"x 1/2"
ERA PVC I-G1 Reducing Tee 1 1/2"x 3/4"
ERA PVC I-G1 Reducing Tee 1 1/4"x 1"
ERA PVC I-G1 Reducing Tee 1 1/4"x 1/2"
ERA PVC I-G1 Reducing Tee 1 1/4"x 3/4"
ERA PVC I-G1 Reducing Tee 1"x 1/2"
ERA PVC I-G1 Reducing Tee 1"x 3/4"
ERA PVC I-G1 Reducing Tee 2"x 1 1/2"
ERA PVC I-G1 Reducing Tee 2"x 1 1/4"
ERA PVC I-G1 Reducing Tee 2"x 1"
ERA PVC I-G1 Reducing Tee 2"x 1/2"
ERA PVC I-G1 Reducing Tee 2"x 3/4"
ERA PVC I-G1 Reducing Tee 3/4"x 1/2"
ERA PVC I-G1 Straight Tee 1 1/2"
ERA PVC I-G1 Straight Tee 1 1/4"
ERA PVC I-G1 Straight Tee 1"
ERA PVC I-G1 Straight Tee 1/2"
ERA PVC I-G1 Straight Tee 2 1/2"
ERA PVC I-G1 Straight Tee 2"
ERA PVC I-G1 Straight Tee 3"
ERA PVC I-G1 Straight Tee 3/4"
ERA PVC I-G1 Straight Tee 4"
ERA PVC I-G1 Straight Tee 6"

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA PVC I-Gl Thread Plug 1"
ERA PVC I-Gl Thread Plug 1/2"
ERA PVC I-Gl Thread Plug 3/4"
ERA PVC Male Single Union Ball Valve 1 1/2" (USU0405)
ERA PVC Male Single Union Ball Valve 1 1/4" (USU0404)
ERA PVC Male Single Union Ball Valve 1" (USU0403)
ERA PVC Male Single Union Ball Valve 1/2" (USU0401)
ERA PVC Male Single Union Ball Valve 2 1/2" (USU0407)
ERA PVC Male Single Union Ball Valve 2" (USU0406)
ERA PVC Male Single Union Ball Valve 3 1/2" (USU0409)
ERA PVC Male Single Union Ball Valve 3" (USU0408)
ERA PVC Male Single Union Ball Valve 3/4" (USU0402)
ERA PVC Male Single Union Ball Valve 4" (USU0410)
ERA PVC Single Union Ball Valve 1 1/2" (USU0105)
ERA PVC Single Union Ball Valve 1 1/4" (USU0104)
ERA PVC Single Union Ball Valve 1" (USU0103)
ERA PVC Single Union Ball Valve 1/2" (USU0101)
ERA PVC Single Union Ball Valve 2 1/2" (USU0107)
ERA PVC Single Union Ball Valve 2" (USU0106)
ERA PVC Single Union Ball Valve 3 1/2" (USU0109)
ERA PVC Single Union Ball Valve 3" (USU0108)
ERA PVC Single Union Ball Valve 3/4" (USU0102)
ERA PVC Single Union Ball Valve 4" (USU0110)
ERA PVC Single Union Spring Check Valve 1 1/2" (USU0205)
ERA PVC Single Union Spring Check Valve 1 1/4" (USU0204)
ERA PVC Single Union Spring Check Valve 1" (USU0203)
ERA PVC Single Union Spring Check Valve 1/2" (USU0201)
ERA PVC Single Union Spring Check Valve 2" (USU0206)
ERA PVC Single Union Spring Check Valve 3/4" (USU0202)
ERA PVC True Union Ball Valves 1 1/2" (UTB0305)
ERA PVC True Union Ball Valves 1 1/4" (UTB0304)
ERA PVC True Union Ball Valves 1" (UTB0303)
ERA PVC True Union Ball Valves 1/2" (UTB0301)
ERA PVC True Union Ball Valves 2 1/2" (UTB0307)
ERA PVC True Union Ball Valves 2" (UTB0306)
ERA PVC True Union Ball Valves 3" (UTB0308)
ERA PVC True Union Ball Valves 3/4" (UTB0302)
ERA PVC True Union Ball Valves 4" (UTB0309)
ERA PVC TS Flange 1" (UTF0103)
ERA PVC TS Flange 1-1/2" (UTF0105)
ERA PVC TS Flange 1-1/4" (UTF0104)
ERA PVC TS Flange 1/2" (UTF0101)
ERA PVC TS Flange 2" (UTF0106)
ERA PVC TS Flange 2-1/2" (UTF0107)
ERA PVC TS Flange 3" (UTF0108)
ERA PVC TS Flange 3-1/2" (UTF0109)
ERA PVC TS Flange 3/4" (UTF0102)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



ERA PVC TS Flange 4" (UTF0110)
ERA PVC TS Flange 5" (UTF0111)
ERA PVC TS Flange 6" (UTF0112)
ERA PVC TS Flange 8" (UTF0113)
ERA PVC Union 1 1/2" (UU00105)
ERA PVC Union 1 1/4" (UU00104)
ERA PVC Union 1" (UU00103)
ERA PVC Union 1/2" (UU00101)
ERA PVC Union 2 1/2" (UU00107)
ERA PVC Union 2" (UU00106)
ERA PVC Union 3 1/2" (UU00109)
ERA PVC Union 3" (UU00108)
ERA PVC Union 3/4" (UU00102)
ERA PVC Union 4" (UU00110)
ERA PVC Van Stone Flange 10" (UVF0109)
ERA PVC Van Stone Flange 12" (UVF0110)
ERA PVC Van Stone Flange 2" (UVF0101)
ERA PVC Van Stone Flange 2-1/2" (UVF0102)
ERA PVC Van Stone Flange 3" (UVF0103)
ERA PVC Van Stone Flange 3-1/2" (UVF0104)
ERA PVC Van Stone Flange 4" (UVF0105)
ERA PVC Van Stone Flange 5" (UVF0106)
ERA PVC Van Stone Flange 6" (UVF0107)
ERA PVC Van Stone Flange 8" (UVF0108)
ERA UCC03 Adjustable Repair Coupling
ERA UCFT01 Female Compression Tee
ERA UCMA01 Male Compression Adapter
ERA UUT001 Union, IPS Thread

Pipe

ERA CPVC PRESSURE PIPE

Valves

ERA UCBT01 Compact Ball Valve, Heavy Type, IPS Thread
ERA UCBT01 Compact Ball Valve, Light Type, IPS Thread
ERA UCV01 In-Line Check Valve, Solvent
ERA UCVT01 In-Line Check Valve, IPS Thread
ERA UFV01 Foot Valve, Without Color Box
ERA UFVT01 Foot Valve, IPS Thread
ERA USUT01 Single Union Ball Valve, IPS Thread
ERA UTBT01 True Union Ball Valve, IPS Thread

[1] Certified for the following configurations:

1/2" (CPA00701)
3/4" (CPA00702)
1" (CPA00703)
1-1/4" (CPA00704)
1-1/2" (CPA00705)
2" (CPA00706)

[2] Certified for the following configurations:

1/2" (CPAC0101)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.



3/4" (CPAC0102)
1" (CPAC0103)
1-1/4" (CPAC0104)
1-1/2" (CPAC0105)
2" (CPAC0106)

[3] Certified for the following configurations:

1/2" (CPAC0201)
3/4" (CPAC0202)
1" (CPAC0203)
1-1/4" (CPAC0204)
1-1/2" (CPAC0205)
2" (CPAC0206)

[4] Certified for the following configurations:

1/2" (CPAS01901)
3/4" (CPAS01902)
1" (CPAS01903)

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF.