



CERTIFICATE OF CONFORMITY

SAI Global hereby grants:

Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

WaterMark Certificate of Conformity

Evaluated to:

AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent application

"the WaterMark Licensee" the right to use or arrange the use of the WATERMARK as shown below only in respect of the goods described and detailed on the product schedule identified on www.saiglobal.com which are produced by the WaterMark Licensee or on behalf of the WaterMark Licensee* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the WATERMARK and the Terms and Conditions for certification. The WaterMark Licensee covenants to comply with all the Rules and Terms and Conditions.

This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.

Certificate No: WMK26022

Issued : 28 October 2020

Expires : 28 July 2025

Originally Certified : 29 July 2015

Current Certification : 27 October 2020

Heather Mahon
General Manager Technical Services
SAI Global Assurance



* For details of manufacture, refer to the licensee

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.



SCHEDULE TO CERTIFICATE OF CONFORMITY

SAI Global hereby grants :

Yonggao Co., Ltd

No. 2, Daixi Road, Huangyan Economic Development Zone, Taizhou, Zhejiang China

WaterMark Certificate of Conformity

Evaluated to:

AS/NZS 1260:2017 - PVC-U pipes and fittings for drain, waste and vent application

Model identification of the goods on which the WATERMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUD001 DN100-SN4	DN100 PVC Pipes for Drainage	ERA / KIWIPLAS	DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	DN100	SN4	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN100-SN6	DN100 PVC Pipes for Drainage	ERA / KIWIPLAS	DN100 PVC Pipes for Drainage	PVC Pipes for Drainage	DN100	SN6	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN150-SN4	DN150 PVC Pipes for Drainage	ERA / KIWIPLAS	DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	DN150	SN4	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN150-SN8	DN150 PVC Pipes for Drainage	ERA / KIWIPLAS	DN150 PVC Pipes for Drainage	PVC Pipes for Drainage	DN150	SN8	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN40	DN40 PVC Pipes for Drainage	ERA / KIWIPLAS	DN40 PVC Pipes for Drainage	PVC Pipes for Drainage	DN40	SN8	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN50	DN50 PVC Pipes for Drainage	ERA / KIWIPLAS	DN50 PVC Pipes for Drainage	PVC Pipes for Drainage	DN50	SN8	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN65	DN65 PVC Pipes for Drainage	ERA / KIWIPLAS	DN65 PVC Pipes for Drainage	PVC Pipes for Drainage	DN65	SN8	Solvent cement	Light Grey	26 Oct 2020
AUD001 DN80	DN80 PVC Pipes for Drainage	ERA / KIWIPLAS	DN80 PVC Pipes for Drainage	PVC Pipes for Drainage	DN80	SN8	Solvent cement	Light Grey	26 Oct 2020
AUD013 100	100 SPIGOT ADAPTOR	ERA / KIWIPLAS	100 SPIGOT ADAPTOR	SPIGOT ADAPTOR	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD023 40	40 IRON ADAPTOR FEMALE	ERA / KIWIPLAS	40 IRON ADAPTOR FEMALE	IRON ADAPTOR FEMALE	DN40	SN8	Solvent cement-Spigot end	Light Grey	26 Oct 2020
AUD023 50	50 IRON ADAPTOR FEMALE	ERA / KIWIPLAS	50 IRON ADAPTOR FEMALE	IRON ADAPTOR FEMALE	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD024 40	40 IRON ADAPTOR MALE	ERA / KIWIPLAS	40 IRON ADAPTOR MALE	IRON ADAPTOR MALE	DN40	SN8	Solvent cement-Spigot end	Light Grey	26 Oct 2020
AUD024 50	50 IRON ADAPTOR MALE	ERA / KIWIPLAS	50 IRON ADAPTOR MALE	IRON ADAPTOR MALE	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD025 40	40 IRON CONNECTOR MALE	ERA / KIWIPLAS	40 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD025 50	50 IRON CONNECTOR MALE	ERA / KIWIPLAS	50 IRON CONNECTOR MALE	IRON CONNECTOR MALE	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD030 40	40 IRON CONNECTOR FEMALE	ERA / KIWIPLAS	40 IRON CONNECTOR FEMALE	IRON CONNECTOR FEMALE	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD030 50	50 IRON CONNECTOR FEMALE	ERA / KIWIPLAS	50 IRON CONNECTOR FEMALE	IRON CONNECTOR FEMALE	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUD034 100*50*50*40*40	100*50*50*40*40 FOUR WAY RISER	ERA / KIWIPLAS	100*50*50*40*40 FOUR WAY RISER	FOUR WAY RISER	DN100*50*50*40*40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules



* For details of manufacture, refer to the licensee

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUD034 100*50*50*50*40	100*50*50*50*40 FOUR WAY RISER	ERA / KIWIPLAS	100*50*50*50*40 FOUR WAY RISER	FOUR WAY RISER	DN100*50*50*50*40	SN8	Solvent cement	Light grey	26 Oct 2020
AUD034 80*50*40*40*40	80*50*40*40*40 FOUR WAY RISER	ERA / KIWIPLAS	80*50*40*40*40 FOUR WAY RISER	FOUR WAY RISER	DN80*DN50	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUD07 50	50 VENT COWL	ERA / KIWIPLAS	50 VENT COWL	VENT COWL	DN50	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC01 100	100 ACCESS COUPLING	ERA / KIWIPLAS	100 ACCESS COUPLING	ACCESS COUPLING	DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC01 150	150 ACCESS COUPLING	ERA / KIWIPLAS	150 ACCESS COUPLING	COUPLING FOR THREADED CAP	DN150	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC02 100	100 COUPLING F/F	ERA / KIWIPLAS	100 COUPLING F/F	COUPLING	DN100	SN8	Solvent cement	Light grey	26 Oct 2020
AUDC02 40	40 COUPLING F/F	ERA / KIWIPLAS	40 COUPLING F/F	COUPLING	DN40	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC02 50	50 COUPLING F/F	ERA / KIWIPLAS	50 COUPLING F/F	COUPLING	DN50	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC02 80	80 COUPLING F/F	ERA / KIWIPLAS	80 COUPLING F/F	COUPLING	DN80	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC03 100	100 Coupling with rubber	ERA / KIWIPLAS	100 Coupling with rubber	SLIP COUPLING	DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC03 150	150 Coupling with rubber	ERA / KIWIPLAS	150 Coupling with rubber	SLIP COUPLING	DN150	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDC04	100 Long Coupling	ERA / KIWIPLAS	100 Long Coupling	EXPANSION COUPLING	DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDD01 100	100 FINISHING COLLAR AND GRATE	ERA / KIWIPLAS	100 FINISHING COLLAR AND GRATE	FINISHING COLLAR AND GRATE	DN150*DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDD02	100 Diamond Floor Drain	ERA / KIWIPLAS	100 Diamond Floor Drain	FLOOR DRAIN	DN100	SN8	Solvent cement- Spigot end	Light Grey	26 Oct 2020
AUDD03	100 Round Floor Drain	ERA / KIWIPLAS	100 Round Floor Drain	FLOOR DRAIN	DN100	SN8	Solvent cement- Spigot end	Light Grey	26 Oct 2020
AUDD04	100 Square Floor Drain	ERA / KIWIPLAS	100 Square Floor Drain	FLOOR DRAIN	DN100	SN8	Solvent cement- Spigot end	Light Grey	26 Oct 2020
AUDE01 100	100 88*BEND F/F	ERA / KIWIPLAS	100 88*BEND F/F	BEND	DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE01 150	150 88*BEND F/F	ERA / KIWIPLAS	150 88*BEND F/F	BEND	DN150	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE01 40	40 88*BEND F/F	ERA / KIWIPLAS	40 88*BEND F/F	BEND	DN40	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE01 50	50 88*BEND F/F	ERA / KIWIPLAS	50 88*BEND F/F	BEND	DN50	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE01 65	65 88*BEND F/F	ERA / KIWIPLAS	65 88*BEND F/F	BEND	DN65	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE01 80	80 88*BEND F/F	ERA / KIWIPLAS	80 88*BEND F/F	BEND	DN80	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE010 100	100 88*BEND M/F	ERA / KIWIPLAS	100 88*BEND M/F	BEND	DN100	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020
AUDE010 40	40 88*BEND M/F	ERA / KIWIPLAS	40 88*BEND M/F	BEND	DN40	SN8	Solvent cement- tapered socket	Light Grey	26 Oct 2020

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.sai-global.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE010 50	50 88°BEND M/F	ERA / KIWIPLAS	50 88°BEND M/F	BEND	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE010 65	65 88°BEND M/F	ERA / KIWIPLAS	65 88°BEND M/F	BEND	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE011	100 15° BEND F/F	ERA / KIWIPLAS	100 15° BEND F/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE012	100 30° BEND F/F	ERA / KIWIPLAS	100 30° BEND F/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE013	100 15° BEND M/F	ERA / KIWIPLAS	100 15° BEND M/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE014	100 22° BEND M/F	ERA / KIWIPLAS	100 22° BEND M/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE015	100 11° BEND M/F	ERA / KIWIPLAS	100 11° BEND M/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE02 100	100 88°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	100 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE02 40	40 88°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	40 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE02 50	50 88°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	50 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE02 65	65 88°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	65 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 100	100 45° BEND F/F	ERA / KIWIPLAS	100 45° BEND F/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 150	150 45° BEND F/F	ERA / KIWIPLAS	150 45° BEND F/F	BEND	DN150	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 40	40 45° BEND F/F	ERA / KIWIPLAS	40 45° BEND F/F	BEND	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 50	50 45° BEND F/F	ERA / KIWIPLAS	50 45° BEND F/F	BEND	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 65	65 45° BEND F/F	ERA / KIWIPLAS	65 45° BEND F/F	BEND	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE03 80	80 45° BEND F/F	ERA / KIWIPLAS	80 45° BEND F/F	BEND	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE04 100	100 88°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	100 88°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE05 100	100 45°BEND SIDE ACCESS F/F	ERA / KIWIPLAS	100 45°BEND SIDE ACCESS F/F	BEND SIDE ACCESS	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE06 100	100 45° BEND M/F	ERA / KIWIPLAS	100 45° BEND M/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE06 40	40 45° BEND M/F	ERA / KIWIPLAS	40 45° BEND M/F	BEND	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE06 50	50 45° BEND M/F	ERA / KIWIPLAS	50 45° BEND M/F	BEND	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDE06 65	65 45° BEND M/F	ERA / KIWIPLAS	65 45° BEND M/F	BEND	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE06 80	80 45° BEND M/F	ERA / KIWIPLAS	80 45° BEND M/F	BEND	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE07 40	40 90° Bend M/F	ERA / KIWIPLAS	40 90° Bend M/F	BEND	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE07 50	50 90° Bend M/F	ERA / KIWIPLAS	50 90° Bend M/F	BEND	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE08 50*40	50*40 45° Reducing Bend	ERA / KIWIPLAS	50*40 45° Reducing Bend	REDUCING BEND	DN50*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDE09	100 5° BEND F/F	ERA / KIWIPLAS	100 5° BEND F/F	BEND	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDF02	100 Flange	ERA / KIWIPLAS	100 Flange	FLANGE	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDI01 100	100 INSPECTION TEST OPENING F/F	ERA / KIWIPLAS	100 INSPECTION TEST OPENING F/F	INSPECTION TEST OPENING	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDI02 100	100 INSPECTION TEST OPENING M/F	ERA / KIWIPLAS	100 INSPECTION TEST OPENING M/F	INSPECTION TEST OPENING	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDO01	100 Off Set Pan Collar 20°	ERA / KIWIPLAS	100 Off Set Pan Collar 20°	PAN CONNECTOR	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDO02	100 Pan Connector Concentric	ERA / KIWIPLAS	100 Pan Connector Concentric	PAN CONNECTOR	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 100*40	100*40 SOCKET REDUCER M/F	ERA / KIWIPLAS	100*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 100*50	100*50 SOCKET REDUCER M/F	ERA / KIWIPLAS	100*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 100*65	100*65 SOCKET REDUCER M/F	ERA / KIWIPLAS	100*65 SOCKET REDUCER M/F	SOCKET REDUCER	DN100*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 100*80	100*80 SOCKET REDUCER	ERA / KIWIPLAS	100*80 SOCKET REDUCER	SOCKET REDUCER	DN100*DN80	SN8	Solvent cement	Light grey	26 Oct 2020
AUDR01 50*40	50*40 SOCKET REDUCER M/F	ERA / KIWIPLAS	50*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN50*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 65*40	65*40 SOCKET REDUCER M/F	ERA / KIWIPLAS	65*40 SOCKET REDUCER M/F	SOCKET REDUCER	DN65*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 65*50	65*50 SOCKET REDUCER M/F	ERA / KIWIPLAS	65*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN65*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 80*50	80*50 SOCKET REDUCER M/F	ERA / KIWIPLAS	80*50 SOCKET REDUCER M/F	SOCKET REDUCER	DN80*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR01 80*65	80*65 SOCKET REDUCER M/F	ERA / KIWIPLAS	80*65 SOCKET REDUCER M/F	SOCKET REDUCER	DN80*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 100*50	100*50 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	100*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 100*65	100*65 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	100*65 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 100*80	100*80 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	100*80 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN100*DN80	SN8	Solvent cement	Light grey	26 Oct 2020

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDR02 150*100	150*100 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	150*100 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN150*DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 50*40	50*40 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	50*40 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN50*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 65*40	65*40 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	65*40 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN65*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 65*50	65*50 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	65*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN65*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 80*50	80*50 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	80*50 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN80*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR02 80*65	80*65 LEVEL INVERT TAPER M/F	ERA / KIWIPLAS	80*65 LEVEL INVERT TAPER M/F	LEVEL INVERT TAPER	DN80*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR03 100*40	100*40 PIPE REDUCER M/F	ERA / KIWIPLAS	100*40 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN40	SN8	Solvent cement	Light grey	26 Oct 2020
AUDR03 100*50	100*50 PIPE REDUCER M/F	ERA / KIWIPLAS	100*50 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN50	SN8	Solvent cement	Light grey	26 Oct 2020
AUDR03 100*80	100*80 PIPE REDUCER M/F	ERA / KIWIPLAS	100*80 PIPE REDUCER M/F	PIPE REDUCER	DN100*DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR03 50*40	50*40 PIPE REDUCER M/F	ERA / KIWIPLAS	50*40 PIPE REDUCER M/F	PIPE REDUCER	DN50*DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDR04 100	100 Reducing Coupling M/F	ERA / KIWIPLAS	100 Reducing Coupling M/F	REDUCING COUPLING	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDS01 100	100 FLOOR WASTE GULLY	ERA / KIWIPLAS	100 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDS01 100*50	100*50 FLOOR WASTE GULLY	ERA / KIWIPLAS	100*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDS01 100*65	100*65 FLOOR WASTE GULLY	ERA / KIWIPLAS	100*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN100*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDS01 80*50	80*50 FLOOR WASTE GULLY	ERA / KIWIPLAS	80*50 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDS01 80*65	80*65 FLOOR WASTE GULLY	ERA / KIWIPLAS	80*65 FLOOR WASTE GULLY	FLOOR WASTE GULLY	DN80*DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT01 100	100 88° JUNCTION F/F	ERA / KIWIPLAS	100 88° JUNCTION F/F	SWEEP JUNCTION	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT01 40	40 88° JUNCTION F/F	ERA / KIWIPLAS	40 88° JUNCTION F/F	SWEEP JUNCTION	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT01 50	50 88° JUNCTION F/F	ERA / KIWIPLAS	50 88° JUNCTION F/F	SWEEP JUNCTION	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT01 65	65 88° JUNCTION F/F	ERA / KIWIPLAS	65 88° JUNCTION F/F	SWEEP JUNCTION	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT01 80	80 88° JUNCTION F/F	ERA / KIWIPLAS	80 88° JUNCTION F/F	SWEEP JUNCTION	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT011 150*100	150*100 REDUCING TEE	ERA / KIWIPLAS	150*100 REDUCING TEE	45° JUNCTION	DN150*DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT012 150	150 88° JUNCTION	ERA / KIWIPLAS	150 88° JUNCTION	SWEEP JUNCTION	DN150	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules



Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.sai-global.com for the list of product models.

SCHEDULE TO CERTIFICATE OF CONFORMITY

Model Identification	Model Name	Brand Name	Product Description	Product Type	Nominal Size (DN)	Stiffness Classification	Joint Type	Colour	Date Endorsed
AUDT013 150	150 45° JUNCTION WITH ONE THREAD END	ERA / KIWIPLAS	150 45° JUNCTION WITH ONE THREAD END	45° JUNCTION	DN150	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT02 100	100 45° JUNCTION M/F WITH TWO THREAD END	ERA / KIWIPLAS	100 45° JUNCTION M/F WITH TWO THREAD END	45° JUNCTION	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT03 100	100 45° JUNCTION F/F WITH ONE THREAD END	ERA / KIWIPLAS	100 45° JUNCTION F/F WITH ONE THREAD END	45° JUNCTION	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT04 100	100 45° SIDE ACCESS JUNCTION LEFT F/F	ERA / KIWIPLAS	100 45° SIDE ACCESS JUNCTION LEFT F/F	SIDE ACCESS JUNCTION LEFT	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT05 100	100 45° SIDE ACCESS JUNCTION RIGHT F/F	ERA / KIWIPLAS	100 45° SIDE ACCESS JUNCTION RIGHT F/F	SIDE ACCESS JUNCTION RIGHT	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT06 100	100 45° JUNCTION F/F	ERA / KIWIPLAS	AUDT06 45° JUNCTION	45° JUNCTION	DN100	SN8	Solvent cement	Light grey	26 Oct 2020
AUDT06 40	40 45° JUNCTION F/F	ERA / KIWIPLAS	40 45° JUNCTION F/F	45° JUNCTION	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT06 50	50 45° JUNCTION F/F	ERA / KIWIPLAS	50 45° JUNCTION F/F	45° JUNCTION	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT06 65	65 45° JUNCTION F/F	ERA / KIWIPLAS	65 45° JUNCTION F/F	45° JUNCTION	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT06 80	80 45° JUNCTION F/F	ERA / KIWIPLAS	80 45° JUNCTION F/F	45° JUNCTION	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT07 100	100 88° SIDE ACCESS JUNCTION F/F	ERA / KIWIPLAS	100 88° SIDE ACCESS JUNCTION F/F	SIDE ACCESS JUNCTION	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDT08 100	100 88° PLAIN JUNCTION F/F	ERA / KIWIPLAS	100 88° PLAIN JUNCTION F/F	PLAIN JUNCTION	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 100	100 DUST CAP	ERA / KIWIPLAS	100 DUST CAP	DUST CAP	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 150	150 DUST CAP	ERA / KIWIPLAS	150 DUST CAP	CAP	DN150	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 40	40 DUST CAP	ERA / KIWIPLAS	40 DUST CAP	DUST CAP	DN40	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 50	50 DUST CAP	ERA / KIWIPLAS	50 DUST CAP	DUST CAP	DN50	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 65	65 DUST CAP	ERA / KIWIPLAS	65 DUST CAP	DUST CAP	DN65	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW01 80	80 DUST CAP	ERA / KIWIPLAS	80 DUST CAP	DUST CAP	DN80	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020
AUDW03 100	100 THREADED CAP	ERA / KIWIPLAS	100 THREADED CAP	THREADED CAP	DN100	SN8	Solvent cement	Light grey	26 Oct 2020
AUDW03 150	150 THREADED CAP	ERA / KIWIPLAS	150 THREADED CAP	THREADED CAP	DN150	SN8	Threaded end	Light grey	26 Oct 2020
AUDW04 100	100 Floor Flange	ERA / KIWIPLAS	100 Floor Flange	FLOOR FLANGE	DN100	SN8	Solvent cement-tapered socket	Light Grey	26 Oct 2020

End of Record

Certificate No: WMK26022

Issued Date: 28 October 2020

This schedule supersedes all previously issued schedules

Registered by:

The WaterMark is a registered certification trademark of Australian Building Codes Board ABN 74 599 608 295 and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate may only be reproduced in its entirety and remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to www.saiglobal.com for the list of product models.